




## DEFLECTION of BEAMS APPARATUS HSM1



Year 1  
study

2 to 3  
participants

15 mins  
setup

30 mins  
duration

Space required  
2(L) x 1(W) m

### Features

- Bench top apparatus for large number of beam tests
- Point, offset and uniformly distributed (UDL) loads
- Cantilever
- Two reaction piers with digital display
- Vertical height adjustment and recording
- Quick and easy adjustment of test span
- Containers supplied for all accessory parts
- Full set of weights and hangers supplied
- Dedicated e-book

### Description

The bench mounted apparatus has an aluminium profiled base on levelling feet. Two reaction piers can be moved along the length of the base to create differing test spans for the beam. On each pier the vertical load is displayed digitally on the front. The height of each reaction pier is

adjustable and displayed digitally also.

A single steel beam and two load hangers are supplied together with two analogue dial gauges for measuring beam deflections and slopes. The dial gauges are mounted on movable stands for accurate position along the beam length. A set of calibrated weights and hangers are supplied along with the necessary tools to adjust the equipment.

### Related laws

- Beams
- Civil Engineering
- Structural Engineering
- Encastre
- Bending Theory
- Beam Span
- Circular Bending

- Uniformly distributed Load
- Cantilever

### Learning capabilities

- Deflection of a Simply Supported Beam with varying Span
- Deflection for an Offset Load on a Simply Supported Beam
- Distributed Loads on a Simply Supported Beam
- Circular Bending
- End Load on a Cantilever

### Technical Specification

- Beam span: Up to 1000mm
- Digital Reaction Piers:  $\pm 50\text{N}$ , 0.1N resolution
- 9mm Height adjustment of Reaction piers
- Beam: 1200(L) x 25(W) x 5(H) mm, steel
- 2 x Dial Gauge: 25mm measuring range, 0.01mm resolution
- Base frame approximately 1400mm in length
- 0.5N hangers x 2
- Hanger clamp for point loading beam x 2 off.
- Weight set

### Recommended Ancillaries

- HSM1f: Optional Flitched Beam
- HSM1g: Optional Test Beam Set

### What's in the Box?

- 1 x Base frame
- 2 x Pier assembly
- 2 x Dial gauge stands
- 2 x Dial gauge
- 2 x Hanger clamps
- 1 x Tape measure
- 1 x Hex wrench set
- 2 x 10N weights
- 10 x 5N weights
- 2 x 0.5N Load hanger
- 1 x Test beam
- Instruction manual

- Packing list
- Test sheet
- Dedicated e-book

### You might also like

- HSM1c: Advanced Beam Testing Apparatus (Analogue version)
- HSM1cD: Advanced Beam Testing Apparatus (Digital version)
- HST11: Continuous and Indeterminate Beams
- HST13: Deflection of Beams and Cantilevers

### Weights & Dimensions

- Unit: 1400(L) x 400(W) x 400(H)mm
- Net Weight: 26 kg
- Gross: 1520(L) x 430(W) x 450(H)mm
- Gross Weight: 32 kg

### Essential Services

- Sturdy Bench top

### Operational Conditions

- Storage temperature:  $-10^{\circ}\text{C}$  to  $+70^{\circ}\text{C}$
- Operating temperature range:  $+10^{\circ}\text{C}$  to  $+50^{\circ}\text{C}$
- Operating relative humidity range: 0 to 95%, noncondensing

### Ordering information

To order this product, please call PA Hilton quoting the following code:  
HSM1

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 2 YEARS