

## UNIVERSAL TESTING MACHINE HSM58



Year 1  
study

4 to 5  
participants

60 min  
setup

60 min  
duration

Space required  
1.0 x 0.8 m

6  
modules

### Features

- Apparatus fully enclosed behind safety guard.
- Interface and Software supplied as standard.
- Compressive and Tensile Testing as standard.
- Supplied with Tensile & Compression Specimens as standard.
- Tensile Specimen Elongation measured on actual specimen for increased accuracy.
- 100mm mechanical stroke.
- 6 optional experiments available.
- 7 replacement test specimens available.

### Description

The HSM58 is a modular, flexible, compact, safe, materials tester allowing students to conduct up to six (6) experiments on seven (7) different material types.

The results of these experiments allow students to gain a

thorough understanding of materials properties and how the performance of these effects design.

The fully enclosed unit allows safe 360° viewing maximising visibility for large class sizes.

### Related laws

- Young's Modulus
- Hooke's Law
- Poisson's Ratio
- Modulus of Elasticity
- Shear Modulus
- Material Hardness (Brinell Method)
- Beam Bending Theory
- Planar Moment of Inertia
- Deep Drawing

## Learning capabilities

- Tensile and compression testing.
- Recording of stress-strain diagrams.
- Modulus of elasticity testing.
- Percentage elongation.
- Shear (unsymmetrical, symmetrical shear both supported and unsupported).
- Deep draw testing.
- Three-point bending.
- Hardness testing.

## Technical Specification

- 35kN Breaking Force
- 360° Safety Guard.
- Sturdy ground steel pillars – for durability and repeatability.
- Utilises linear slide bearings – for ease of use.
- Digital Extensometer accurate to 3 decimal places.
- Fixing and accessories designed to x 2.5 factor of safety.
- Tensile Specimens: 85(L) mm; gauge length 36mm; Ø6mm neck diameter; M10 x 1.5mm thread.
- Compression Specimens: Ø25 x 50(L) mm
- Compression plates: Ø50mm
- 6 optional experiments available.

## Recommended Ancillaries


- HSM58A: Tensile Test Specimen Set (10 x Steel; 10 x Aluminium, 10 x Brass)
- HSM58B: Brinell Hardness Test Set
- HSM58C: Bending Device Test Set
- HSM58E: Symmetrical Shearing Test Set
- HSM58F: Measuring Magnifier for Brinell
- HSM58G: Asymmetrical Shearing Test Set
- HSM58H: Set of 16 Copper Shear Specimens
- HSM58I: Spring Testing Set
- HSM58L: Compression Specimen Set (8 x Wood; 8 x Plastic)
- HSM58M: Set of Bending Test Specimens (1 x Brass; 2 x Aluminium; 2 x Steel)
- HSM58P: Device for Deep Drawing

- HSM58Q: Deep Drawing Test Specimens (40 x Aluminium; 0.5/1.0/1.5/2.0mm thick)
- HSM58T: Set of 10 Titanium Tensile Specimens
- HSM58U: 16 x Hardness Specimens (4 x Steel; 4 x Aluminium; 4 x Brass; 4 x Copper)

## What's in the Box?

- 1 x Base unit
- 1 x Pair Tensile Grips
- 1 x Pair Compression Plates
- 4 x Levelling Feet
- 1 x Ear Defender & Safety Glasses
- 40 x Tensile Specimens (10 each of Aluminium, Brass, Steel & Titanium)
- 16 x Compression Specimens (8 x wood; 8 x Plastic)
- 1 x Linear Potentiometer
- 1 x Data Acquisition System
- 1 x USB Data Stick containing Software
- 1 x Set of Tools
- 1 x Flight Case
- Spare Oil
- 2 Year Spares
- Instruction Manual
- Packing List
- Test Sheet

## Supporting Software



- The system displays and captures data relating to

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 2 YEARS

elongation, extension and applied force

### Minimum System Requirements

- Intel Pentium 3 or equivalent processor > 800MHz processor speed
- Microsoft Windows WIN7 operating system and above (end user must have operating system CD for XP and below)
- VGA Monitor capable of at least 16-bit colour at 800 x 600 resolution
- 150Mb space available on hard drive
- USB1.1 and USB2 for data acquisition connection.
- Powered USB port(s) if possible.

### Weights & Dimensions

- Weight: 51 kg
- 520(L) x 630(W) x 800(H) mm
- Gross Packed Weight – 77kg
- Gross Packed Dimensions – 710(L) x 580(W) x 950(H) mm

### Essential Services

- Sturdy bench top
- 110/120V, 60Hz or 220/240V, 50Hz, single phase, live neutral and earth

### Operational Conditions

- Storage temperature: -10°C to +70°C
- Operating temperature range: +10°C to +50°C
- Operating relative humidity range: 0 to 95%, non-condensing

### Ordering information

To order this product, please call PA Hilton quoting the following code:

HSM58

All brand and/or product names are trademarks of their respective owners. Specifications and external appearance are subject to change without notice. The colour of the actual product may vary from the colour shown in the brochure.

Copyright © 2018 P.A. Hilton Limited. All rights reserved. This technical leaflet, its contents and/or layout may not be modified and/or adapted, copied in part or in whole and/or incorporated into other works without the prior written permission of P. A. Hilton Limited. Hi-Tech Education is a registered trade mark of P. A. Hilton Limited.

COUNTRY OF ORIGIN - UK WARRANTY PERIOD - 2 YEARS